

IN THE CLAIMS

This listing of the claim will replace all prior versions and listings of claim in the present application.

Listing of Claims

1. (currently amended) A turbo decoder comprising:

a decoder for inputting data turbo-coded for correcting an error and repeatedly carrying out soft output decoding to thereby restore original data;

judging means for judging a reliability of a soft output decoding result from said decoder provided by the soft output decoding from statistics of the soft output decoding result; and

controlling means for controlling an iteration number of the soft output decoding based on a judgment result of the reliability judging means.

2. (original) The turbo decoder according to Claim 1:

wherein the judging means uses a mean value and a dispersion value of the soft output decoding result as the statistics for judging the reliability.

3. (original) The turbo decoder according to Claim 1:

wherein the judging means uses a mean value and a minimum value of the soft output decoding result as the statistics for judging the reliability.

4. (original) The turbo decoder according to Claim 1:

wherein the judging means uses a maximum value and a minimum value of the soft output decoding result as the statistics for judging the reliability.

5. (currently amended) A mobile station of a mobile communication system, said mobile station comprising:

a radio frequency circuit for receiving a radio frequency signal of data turbo-coded for correcting an error by an antenna and outputting a received signal;

a receiver for outputting original data from the received signal as received data; and

a signal processor for subjecting the received data to a signal processing;

the receiver further comprising:

a turbo decoder for decoding the turbo-coded data constituting the received signal for outputting the received data;

the turbo decoder further comprising:

a decoder for inputting the turbo-coded data and repeatedly carrying out soft output decoding to thereby restore the original data;

judging means for judging a reliability of a soft output decoding result from said decoder provided by the soft output decoding from statistics of the soft output decoding result; and

controlling means for controlling an iteration number of the soft output decoding based on a judgment result of the reliability judging means.

6. (currently amended) A base station of a mobile communication system, said base station comprising:

a radio frequency circuit for receiving a radio frequency signal of data turbo-coded for correcting an error by an antenna and outputting a received signal;

a receiver for outputting original data from the received signal as received data; and

a station interface circuit for transmitting the received data to a communication network;

the receiver further comprising:

a turbo decoder for decoding the turbo-coded data and outputting the received data;

the turbo decoder further comprising:

a decoder for inputting the turbo-coded data constituting the received signal and repeatedly carrying out soft output decoding to thereby restore the original data;

judging means for judging a reliability of a soft output decoding result from said decoder provided by the soft output decoding from statistics of the soft output decoding result; and

controlling means for controlling an iteration number of the soft output decoding based on a judgment result of the reliability determining means.